

The RS26B rider auto scrubber is fully automated, with a one-button programmable switch for training-free operation. The digitized (1% to 5%) solution mixing system makes solution composition change simple. The RS26 comes with fully automated brush and squeegee system, which activates when the drive-paddle is touched.



Benefits

- Oversized 110 litres solution tank
- State-of-the-art touch panel control console
- 24V/220Ah batteries AGM
- Working efficiency up to 4.300 m²/hour
- 34-55 and 75 kg pad pressure
- On board digitalized solution chemical dosing system (standard)
- Heavy duty structure for maximum durability
- Die-cast aluminium brush deck and easy to move parabolic squeegee for optimal dry floor performance
- Automated braking and parking design
- Emergency shutdown button and safety light (standard) for maximum safety

ICE RS26B comes provided with:

- Brushes 2 x 13"
- Padholders 2 x 13"
- On-board charger

Technical specifications

Model type	EU	RS26B
Voltage	Volt	24V
Cleaning Path	cm	70
Number of brushes	pcs	2
Brush rotation speed	rpm	210
Brush motor	V/Watt	24/2x450
Brush pressure	kg	35-55-75
Squeegee	cm	103
Solution Tank	litres	110
Recovery Tank	litres	110
Cablelength	cm	-
Batteries	V/Ah	4x6V/220Ah
Type batteries NA	standard	AGM
Sound Level	dBA	68
Weight without batteries	kg	280
Weight with batteries	kg	400
Run time per charge	hour	3,5 - 4
Cleaning Productivity	m²/hour	4.300
Sizes LxWxH	cm	157,5x88x141
Gradeability	%	17
Chemical dosing system		standard



Y RETAIL IENT SUPERMARKETS

MANUFACTURING FACILITY LOGISTICS MANAGEMENT